plication No.	Applicant(s)	
599,126	DE SALAZAR VINAS, MARIA	
aminer	Art Unit	
GESH PATEL	3732	
REMAINS) CLOSED in thi ther appropriate communic S. This application is subj	s application. If not includation will be mailed in due	led course. THIS
n received. n received in Application N ints have been received in s communication to file a r of this application. Note the attached EXAMI ason(s) why the oath or de submitted. Patent Drawing Review (I endment / Comment or in)) should be written on the a dater according to 37 CFR 1 BIOLOGICAL MATER!	in this national stage applice ply complying with the result of the resu	equirements NOTICE OF
6. ☑ Interview Sumr Paper No./Ma 7. ☑ Examiner's Am	mary (PTO-413), il Date	
	REMAINS CLOSED in the appropriate communic S. This application is subj MPEP 1308. 35 U.S.C. § 119(a)-(d) or (for the appropriate of the application is subj MPEP 1308. 35 U.S.C. § 119(a)-(d) or (for the application is subj MPEP 1308. 36 U.S.C. § 119(a)-(d) or (for the application is subj MPEP 1308. 36 U.S.C. § 119(a)-(d) or (for the application is subj MPEP 1308. 36 U.S.C. § 119(a)-(d) or (for the application is subj MPEP 1308. 36 U.S.C. § 119(a)-(d) or (for the application is subj MPEP 1308. 37 U.S.C. § 119(a)-(d) or (for the application is subj MPEP 1308. 38 U.S.C. § 119(a)-(d) or (for the application is subj MPEP 1308. 38 U.S.C. § 119(a)-(d) or (for the application is subj MPEP 1308. 39 U.S.C. § 119(a)-(d) or (for the application is subj MPEP 1308. 30 U.S.C. § 119(a)-(d) or (for the application is subj MPEP 1308. 30 U.S.C. § 119(a)-(d) or (for the application is subj MPEP 1308. 30 U.S.C. § 119(a)-(d) or (for the application is subj MPEP 1308. 30 U.S.C. § 119(a)-(d) or (for the application is subj MPEP 1308. 31 U.S.C. § 119(a)-(d) or (for the application is subj MPEP 1308. 32 U.S.C. § 119(a)-(d) or (for the application is subj MPEP 1308. 33 U.S.C. § 119(a)-(d) or (for the application is subj MPEP 1308. 34 U.S.C. § 119(a)-(d) or (for the application is subj MPEP 1308. 35 U.S.C. § 119(a)-(d) or (for the application is subj MPEP 1308. 35 U.S.C. § 119(a)-(d) or (for the application is subj MPEP 1308. 36 U.S.C. § 119(a)-(d) or (for the application is subj MPEP 1308. 36 U.S.C. § 119(a)-(d) or (for the application is subj MPEP 1308. 37 U.S.C. § 119(a)-(d) or (for the application is subj MPEP 1308. 38 U.S.C. § 119(a)-(d) or (for the application is subj MPEP 1308. 39 U.S.C. § 119(a)-(d) or (for the application is subj MPEP 1308. 30 U.S.C. § 119(a)-(d) or (for the application is subj MPEP 1308. 30 U.S.C. § 119(a)-(d) or (for the application is subj MPEP 1308. 30 U.S.C. § 119(a)-(d) or (for the application is subj MPEP 1308. 30 U.S.C. § 119(a)-(d) or (for the application is subj MPEP 1308. 3	DE SALAZAR VIN/PILAR miner Art Unit GESH PATEL 3732 on the cover sheet with the correspondence add REMAINS) CLOSED in this application. If not include the appropriate communication will be malled to us. This application is subject to withdrawal from iss MPEP 1308. 35 U.S.C. § 119(a)-(d) or (f). In received. In received in Application No

Specification

The supplemental specification submitted on 12/22/2009 is acknowledged and entered.

Examiner's Amendment/Interview Summary

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview to attorney of record, Ira J. Schultz on 02/01/2010 and agreed to accept the changes.

The following amendments apply to the claims of 12/22/2009:

Claims 11-16, 22-26: (cancelled)

17. (new) In an orthodontic appliance adapted to be disposed in the mouth of a patient, comprising a molar tube, and an archwire having an end projecting from a distall end of the molar tube, wherein the improvement comprising comprises an oral mucous membrane protector comprising:

a cap having a closed end and an open end surrounded by a wall, the end of the archwire being received in the open end, and

Application/Control Number: 10/599,126

Art Unit: 3732

an elastic ring integral with and extending projecting from the wall in a direction opposite to the closed end and fixed around the molar tube to secure the cap over the archwire, the elastic ring extending over projecting from a portion of the wall limited such that the elastic ring does not extend over block the open end of the cap[[.]],

wherein the protector isolating isolates mucous membranes susceptible of being damaged inside the mouth, and preventing disengagement of the archwire from the molar tube.

Reasons for Allowance

The following is an examiner's statement of reasons for allowance: Claims 17-21 are allowed. The art of record does not teach or render obvious an improvement of oral mucous membrane comprising an oral mucous membrane protector including a cap having a closed end and an open end surrounded by a wall, the end of the archwire being received in the open end, and an elastic ring integral with and projecting from the wall in a direction opposite to the closed end and fixed around the molar tube to secure the cap over the archwire, the elastic ring projecting from a portion of the wall such that the elastic ring does not extend over the open end of the cap.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to YOGESH PATEL whose telephone number is (571)270-3646. The examiner can normally be reached on 8:00 to 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cris Rodriguez can be reached on 571-272-4964. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/YOGESH PATEL/ Examiner, Art Unit 3732

/Ralph A. Lewis/ Primary Examiner, Art Unit 3732